name	data
A2P-8 15cm	Length 15CM, 8mm unilateral outlet 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A2P-10 15cm	Length 15CM, 10mm monochrome unilateral outlet 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A2p-12 15cm	Length 15CM, 12mm monochrome unilateral outlet 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A4P-10 15cm	Length 15CM, 10mmRGB unilateral outlet 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A4P-12 15cm	Length 15CM, 12mmRGB unilateral outlet 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
B2P-8	8mm docking, PA66 nylon shell , shrapnel material phosphor bronze with tin plating
B2P-10	10mm monochrome docking, PA66 nylon shell , shrapnel Material Phosphor Bronze Tin
B2P-12	12mm monochrome docking, PA66 nylon shell , shrapnel Material Phosphor bronze with tin plating
B4P-10	10mmRGB docking, PA66 nylon shell , shrapnel material phosphor bronze with tin plating
B4P-12	12mmRGB docking, PA66 nylon shell , shrapnel material phosphor bronze with tin plating
A2T-2P-8 15cm	Length 15CM, 8mm tape wire butt 22 # line, PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A2T-2P-10 15cm	Length 15CM, 10mm single ribbon cable docking 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A2T-2P-12 15cm	Length 15CM, 12mm single ribbon cable docking 22 # line , PA66 nylon shell , Terminal Material Phosphor Bronze Tin
A2T-4P-10 15cm	Length 15CM, 10mmRGB 22 # line with docking lines , shell PA66 nylon, Terminal Material Phosphor Bronze Tin

A2T-4P-12 15cm	Length 15CM, 12mmRGB 22 # line with docking lines , shell PA66 nylon, Terminal Material Phosphor Bronze Tin
C2P-8 (IP65) 15cm	Length 15CM, 8mm unilateral outlet 22 # line , PA6 nylon shell , Terminal Material Brass Tin
C2P-10 (IP65) 15cm	Length 15CM, 10mm monochrome unilateral outlet 22 # line , PA6 nylon shell , Terminal Material Brass Tin
C4P-10 (IP65) 15cm	Length 15CM, 10mmRGB unilateral outlet 22 # line , PA6 nylon shell , Terminal Material Brass Tin
D2P-8 (IP65)	8mm docking, PA66 nylon shell , Spiked Brass Tin
D2P-10 (IP65)	10mm monochrome docking, PA66 nylon shell , Spiked Brass Tin
D4P-10 (IP65)	10mmRGB docking, PA66 nylon shell , Spiked Brass Tin
C2T-2P-8 (IP65) 15cm	Length 15CM, 8mm tape wire butt 22 # line, PA6 nylon shell , Terminal Material Brass Tin
C2T-2P-10 (IP65) 15cm	Length 15CM, 10mm single ribbon cable docking 22 # line , PA6 nylon shell , Terminal Material Brass Tin
C2T-4P-10	Length 15CM, 10mmRGB with wire butt 22 # line, PA6 nylon shell , Terminal Material Brass Tin

(IP65) 15cm	
C2P- 2P-8- DC (IP65)	8mm pick 2.1/55DC, 22 # wires, casings PA66 nylon , DC / PVC material
C2P- 2P-10- DC (IP65)	10mm monochrome pick 2.1/55DC, 22 # wires, casings PA66 nylon , DC / PVC material
C2P- 2P-8- DC-K (IP65)	8mm indirectly connected 2.1/55DC 304 switch, 22 # wires, casings PA66 nylon , DC / PVC material
C2P- 2P-8- DC-K (IP65)	10mm indirectly connected 2.1/55DC 304 switch, 22 # wires, casings PA66 nylon , DC / PVC material
C4P- 10W (IP65) 15cm	Length 15CM, 10mmRGB mother received four holes at one end PA66 nylon, one end of the PVC material
C4P-10 (IP65) 15cm	Length 15CM, 10mmRGB mother received four holes at one end PA66 nylon, one end of the PVC material
C2P-8 20cm	FPC8mm unilateral outlet 22 # line, Length 20CM

C2P-10 20cm	FPC10mm unilateral outlet 22 # line monochrome, Length 20CM
C2P-12 20cm	FPC12mm unilateral outlet 22 # line monochrome, Length 20CM
C4P-10 20cm	FPC10mmRGB unilateral outlet 22 # line, Length 20CM
C4P-12 20cm	FPC12mmRGB unilateral outlet 22 # line, Length 20CM
B2P-8-F	FPC8mm butt
B2P-10-F	FPC10mm monochrome butt
B2P-12-F	FPC12mm monochrome butt
B4P-10-F	FPC10mmRGB butt
B4P-12-F	FPC12mmRGB butt
A2T-2P-8-F 20cm	FPC8mm docking with line 22 #, Length 20CM
A2T-2P-10-F 20cm	FPC10mm single ribbon cable 22 # butt, Length 20CM
A2T-2P-12-F 20cm	FPC12mm single ribbon cable 22 # butt, Length 20CM

A2T-4P-10-F 20cm	FPC10mmRGB docking with line 22 #, Length 20CM
AT-4P-12-F	FPC12mmRGB docking with line 22 #
C2P-2P-8-DC 15cm	8mm pick 2.1/55DC, 22 # wires, casings PA6 nylon , DC / PVC material
2P-L	PVC adapter monochrome L-
2P-T	PVC adapter monochrome T-
2P-X	PVC adapter type monochrome ten
4P-L	PVC adapter RGB L -type
4P-T	PVC adapter RGB T -type
4P-X	PVC adapter type RGB ten
2P-2P	2P double needle
4P-4P	4P double needle