





Клеммы тип *О* Изолированные
















Сечение провода: 0.5-1.5мм²; (A.W.G22-16) I_{max}=19A
 Материал: медь. Толщина: 0,75 мм

Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV1.25-3	3.2						Красный
	RVS1.25-3.5		5.7	17.8	4.95			
	RVM1.25-3.5	3.7	6.6	20.1	6.3			
	RVL1.25-3.5		8.0	21.5	7.0			
	RVS1.25-4		6.6	20.1	6.3			
	RVL1.25-4	4.3						
	RV1.25-5		8.0	21.5	7.0			
	RVL1.25-5	5.3						
	RVS1.25-6		9.8	23.0	8.5	10.0	4.3	
	RV1.25-6	6.4						
	RV1.25-8		11.6	27.5	11.1			
		8.4						





	RV1.25-8	8.4	11.6	27.5	11.1				
	RV1.25-10	10.5	13.6	31.6	13.9				
	RV1.25-12	13.0	19.2	36.0	16.5				

**Сечение провода: 1.5-2.5мм²; (A.W.G16-14) I_{max}=27A
Материал: медь. Толщина: 0,8 мм**







Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV2-3	3.2						Синий
	RVS2-3.5		6.6	17.8	4.3			
	RVM2-3.5	3.7		21.0	7.0			
	RVL2-3.5		8.5	22.5	7.75			
	RVS2-4		6.6	21.0	7.0			
	RVL2-4	4.3		8.5				
	RVS2-5		8.5	22.5	7.75			
	RVL2-5	5.3		9.5	7.25	10.0	4.9	
	RV2-6	6.5						
	RV2-8		12.0	27.6	11.0			
	RV2-8	8.4						




	RV2-10	10.5	13.6	30.2	13.9			
	RV2-12	13.0	19.2	36.5	16.5			

Сечение провода: 2.5-4мм²; (A.W.G14-12) I_{max}=37A
Материал: медь. Толщина: 1,0 мм

Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV3.5-4	4.3	8.0	24.5	7.7	13.0	6.2	Черный
	RVS3.5-5	5.3						
	RVL3.5-5		12.0	27.9				
	RV3.5-6	6.5						

Сечение провода: 4-6мм²; (A.W.G12-10) I_{max}=48A
Материал: медь. Толщина: 1,0 мм

Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV5.5-3.5	3.7	7.2	21.4	5.9	13.0	6.7	Желтый
	RVS5.5-4	4.3						
	RVL5.5-4		9.5	25.5	8.3			
	RV5.5-5	5.3						
	RV5.5-6	6.5	12.0	31.5	13.0			
	RV5.5-8	8.4						

	RV5.5-8	8.4				13.0	6.7	Желтый
	RV5.5-10	10.5	15.0	33.7	13.7			
	RV5.5-12	13.0	19.2	38.1	16.0			